

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

## 1 Identification

- **Product identifier**
- **Trade name:** Megalube Polymer Lithium Complex
- **Article number:** BC-0894-2
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**  
Battenfeld Grease (Canada) Ltd.  
68 Titan Road  
Toronto, Ontario M8Z 2J8  
Canada  
info@battenfeld-grease.com
- **Information department:** Technical Department
- **Emergency telephone number:** During normal operating hours: +1 (416) 239 1548

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS09 Environment

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.



GHS07

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Flammable Liquids - Category 4 H227 Combustible liquid.

Aquatic Acute 2

H401 Toxic to aquatic life.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07 GHS09

- **Signal word** Warning

- **Hazard statements**

Combustible liquid.

Causes serious eye irritation.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

- **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

CA

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

**Trade name: Megalube Polymer Lithium Complex**

(Contd. of page 1)

*In case of fire: Use for extinction: CO2, powder or water spray.*

*Collect spillage.*

*Store in a well-ventilated place.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Hazard description:**

· **WHMIS-symbols:**

B3 - Combustible liquid



· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

63449-39-8	Paraffin waxes and Hydrocarbon waxes, chloro	10-25% w/w
64742-47-8	Distillates (petroleum), hydrotreated light	2.5-10% w/w
68457-79-4	Zinc Dialkylthiophosphate	0.1-2.5% w/w

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

CA

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: *Megalube Polymer Lithium Complex*

(Contd. of page 2)

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**8012-95-1 Paraffin oils (2.5-10%)**

EV	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> Mist
----	--

**64742-47-8 Distillates (petroleum), hydrotreated light (2.5-10%)**

EL	Long-term value: 200 mg/m <sup>3</sup> Skin
----	--

(Contd. on page 4)

CA

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

**Trade name: Megalube Polymer Lithium Complex**

(Contd. of page 3)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Semi-Solid

Color: Light green

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 170 °C

· **Flash point:** 80 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 210 °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

(Contd. on page 5)

CA

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

**Trade name: Megalube Polymer Lithium Complex**

(Contd. of page 4)

· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	0.983 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	11.3 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### ATE (Acute Toxicity Estimate)

Oral	LD50	17182 mg/kg (rat)
Dermal	LD50	138889 mg/kg (rabbit)

#### 68457-79-4 Zinc Dialkylthiophosphate

Oral	LD50	2000-5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

CA

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

**Trade name: Megalube Polymer Lithium Complex**

(Contd. of page 5)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

91-20-3	naphthalene	2B
---------	-------------	----

· **NTP (National Toxicology Program)**

91-20-3	naphthalene	R
---------	-------------	---

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**68457-79-4 Zinc Dialkylthiophosphate**

EC50 1-5 mg/L (*Scenedesmus subspicatus* (Alga))

4-6 mg/L (*daphnia*)

LC50 >100 mg/L (Fish)

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· **UN-Number**

· **DOT**

NA3082

(Contd. on page 7)

CA

## Safety Data Sheet


acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

**Trade name: Megalube Polymer Lithium Complex**

(Contd. of page 6)

· <b>TDG, IATA</b> · <b>IMDG</b>	not regulated UN3082
· <b>UN proper shipping name</b> · <b>DOT</b>  · <b>TDG, IATA</b> · <b>IMDG</b>	Environmentally hazardous substances, liquid, n.o.s. (Paraffin waxes and Hydrocarbon waxes, chloro, Zinc Dialkylthiophosphate) not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Paraffin waxes and Hydrocarbon waxes, chloro, Zinc Dialkylthiophosphate), MARINE POLLUTANT
· <b>Transport hazard class(es)</b> · <b>DOT, IMDG</b>  	9 Miscellaneous dangerous substances and articles 9  not regulated
· <b>Packing group</b> · <b>DOT, IMDG</b> · <b>TDG, IATA</b>	III not regulated
· <b>Environmental hazards:</b>  · <b>Marine pollutant:</b>	Product contains environmentally hazardous substances: Paraffin waxes and Hydrocarbon waxes, chloro Yes (DOT) Symbol (fish and tree)
· <b>Special precautions for user</b> · <b>EMS Number:</b> · <b>Stowage Category</b>	Not applicable. F-A,S-F A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>  · <b>DOT</b> · <b>Quantity limitations</b>  · <b>Remarks:</b>	On passenger aircraft/rail: No limit On cargo aircraft only: No limit Special marking with the symbol (fish and tree).
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	not regulated

CA

(Contd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Megalube Polymer Lithium Complex

(Contd. of page 7)

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

68457-79-4	Zinc Dialkylthiophosphate	0,1-2,5%
91-20-3	naphthalene	≤0.1%

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Canadian substance listings:**

- **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

8012-95-1 Paraffin oils

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS09

- **Signal word** Warning

- **Hazard statements**

Combustible liquid.

Causes serious eye irritation.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

- **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Collect spillage.

Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

CA

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2017

Reviewed on 08/23/2017

**Trade name: Megalube Polymer Lithium Complex**

(Contd. of page 8)

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Technical Department

· **Contact:** Mr. Wenzler

· **Date of preparation / last revision** 08/23/2017 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

CA